

Client Ion Peptide

Analyzed 03/22/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-4/Cartalax	Form	Lyophilized powder
Batch	WV240-03192026	Labeled Qty	40mg
Cap Color	Turquoise	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.752%
Blend Avg Net Content	(40mg ± 10%)	46.08 mg
Blend Identification (LC-MS)	(BPC-157/TB-4/Cartalax)	BPC-157/TB-4/Cartalax
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.819	45.71
Vial 2	99.686	46.45
Batch Average	99.752%	46.08 mg

BLEND COMPONENT ANALYSIS



Component	Labeled	Measured
TB-4	10 mg	11.96 mg
Cartalax	20 mg	22.72 mg
BPC-157	10 mg	11.03 mg

HEAVY METAL SCREENING

Analyte	Result
Lead (Pb)	Negative
Cadmium (Cd)	Negative
Arsenic (As)	Negative
Mercury (Hg)	Negative

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-69714B
Access Code: D1GUPB1