KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-D34574

Client: Zenergy **Certified:** 09/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Semax/Selank	**Form**	Lyophilized Powder
Batch	S-260915-TRC-SIL	**Labeled Qty**	10 mg
Cap Color	Clear Copper	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.729% ✓
Blend Avg Net Content	(~10mg)	10.60 mg ✓
Blend Identification (LC-MS)	(Semax/Selank)	Semax/Selank ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
14 Day Sterility Screening	(No Growth)	No Growth ✓

BLEND COMPONENT ANALYSIS


Component	Labeled	Measured
Selank	5 mg	5.09 mg
Semax	5 mg	5.51 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemax Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-D34574
Access Code: AZJ4EB9