

Client: Double R Labs

Certified: 05/24/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

**SAMPLE INFORMATION**

<b>Product</b>	Glutathione	<b>Form</b>	Lyophilized powder
<b>Batch</b>	DRL-05-GTT1500	<b>Labeled Qty</b>	1500 mg
<b>Mol. Formula</b>	C10H17N3O6S	<b>CAS Number</b>	70-18-8
<b>Cap Color</b>	Purple	<b>Crimp Color</b>	Sliver

**TEST RESULTS**

	REFERENCE STANDARD	RESULT	
<b>Batch Avg Purity</b>	(>98%)	99.190%	✔
<b>Batch Avg Net Content</b>	(1500mg ± 10%)	1550.41 mg	✔
<b>Identity Confirmation (LC-MS)</b>	(Glutathione)	Glutathione	✔
<b>Endotoxin Safety Screen</b>	(≤0.5 EU/mL)	PASS	✔
<b>Fentanyl Presence Analysis</b>	(Not Detected)	Not Detected	✔
<b>14 Day Sterility Screening</b>	(No Growth)	No Growth	✔

**HEAVY METAL SCREENING**


Analyte	Result	Status
Arsenic (As)	Negative	✔
Cadmium (Cd)	Negative	✔
Lead (Pb)	Negative	✔
Mercury (Hg)	Negative	✔

**BATCH CONFORMITY RESULTS**

Vial	Purity (%)	Net Content (mg)
Vial 1	99.144	1549.13
Vial 2	99.251	1519.84
Vial 3	99.174	1582.27
<b>Batch Average</b>	<b>99.190%</b>	<b>1550.41 mg</b>

**CHROMATOGRAM**

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm


  
 Lab Director


koveralabs.com/verify

 Report#: KVR-2026-D09DB2  
 Access Code: D0RKHXV